



# Metro Auto Industrial, Inc.

2128 Pomona Blvd., Pomona, CA 91768, USA  
Tel: 1-800-263-8761 Fax: 1-800-799-0838  
www.metroautoinc.com



**\* Return Service Requested \***


















**03/01 - 04/30 2021 Special Sale**

*\* for Electrical Rebuilders Only \**

**COVID-19**  
for your safety please social  
distance and wear a mask when  
working with others.

## NEW PRODUCTS

<p>21-83089</p>  <p>DE - Mitsubishi Fits to 129mm Stator OD Lester 11638, A2TL0381</p>	<p>31-82063</p>  <p>Rectifier - Denso Hair Pin, 12-50A 132mm OD, M8 x 1.25 Side Post 14009, 14020 Ref: 104210-6870, 104210-6860</p>	<p>11584NH27</p>  <p>Alternator - Denso Hair Pin <b>High Output</b> 12V, 270Amp, 6 GV, CCW Lester 11584 Ref: 421000-081</p>	<p>76-82146</p>  <p>Strap - Harness Wire to organize all type harness wire 177mm OAL, resueable</p>
<p>22-83089</p>  <p>SRE - Mitsubishi Fits to 129mm Stator OD Lester 11638, A2TL0381</p>	<p>31-82064</p>  <p>Rectifier - Denso Hair Pin, 12-50A 132mm OD, M8 x 1.25 Back Post 11645 Ref: 104210-677</p>	<p>11434NH37</p>  <p>Alternator - Denso Hair Pin <b>High Output</b> 12V, 370Amp, 6 GV, CW Lester 11434 Ref: 104210-618</p>	<p>HH-1002</p>  <p>Starter - High Performance <b>Hitachi PMGR, replace 3168, 3180 ...</b> 12V, 1.4kw, 10 Teeth, CW Ford L6/V8, 221-351 Small Block Engine, M/T.</p>
<p>21-82190</p>  <p>DE - Denso Hair Pin Fits to 138.5mm Stator OD Lester 11762, 14016, 104210-642</p>	<p>8290N-ND320</p>  <p>Alternator - Denso Hair Pin <b>Modify to Delco AD244</b> 12V, 320Amp, 6 GV, CW Lester 8290 Ref: 10464468, 15062413 etc</p>	<p>14935N-H100BKNP</p>  <p>Alternator - Denso Hair Pin <b>High Output, Black</b> 12V, 100Amp, 3 GV, CW Lester 14935 Ref: 100211-136, -351</p>	<p>6924N-1</p>  <p>Starter - Delco 39MT <b>Delco PLGR</b> 12V, 7.3kw, 11 Teeth, CW Lester 6924 Ref: 8200308, 8201079</p>
<p>22-82190</p>  <p>SRE - Denso Hair Pin Fits to 138.5mm Stator OD Lester 11762, 14016, 104210-642</p>	<p>11290NH37</p>  <p>Alternator - Denso Hair Pin <b>High Output</b> 12V, 370Amp, 8 GV, CW Lester 11290 Ref: 104210-610</p>	<p>8172N-ND220</p>  <p>Alternator - Denso Hair Pin <b>Modify to Delco CS144</b> 12V, 220Amp, 6 GV, CW Lester 8172 etc Ref:</p>	<p>TL69-001</p>  <p>Brush Holder Tool - Starter Pull out &amp; Push Back the CW Brush Holder Spring, CCW also available. - Safe - Easy operate - Steel material, life time use.</p>

Aternator	Contact	Shift Lever	Starter - Hitachi
11032N  Denso - Hair Pin 12V 130Amp CW, 6 GV-Solid Pulley 104210-366, Lester: 11032	66-82131H  Contact Disc - Plunger (Denso OSGR) 17.6mm ID x 36.8mm OD x 2mm Thickness Ref: 66-82650	55-1001  Shift Lever - Delco 5MT, SD200, SD250 Ref: 1984501, 55-101	17088N  Starter - Hitachi OSGR 12V, 2.0kw, 9T, CW Lester 17088, Thermo King
11137N  Denso - Hair Pin 12V 130Amp CW, 7 GV-Clutch Pulley 104210-210, -457, -489 Lester: 11137	66-82134H  Contact Disc - Plunger (Denso OSGR) 17.6mm ID x 34.8mm OD x 2mm Thickness Ref: 66-82651	55-1004  Shift Lever - Delco 8MT, 10MT, 15GR, 20MT, 25MT, 27MT, SD300 Ref: 801433, 55-104	17695N  Starter - Hitachi PMGR 12V, 1.4kw, 8T, CCW Lester 17695, Infiniti, Nissan
11168N  Mitsubishi - New Style 12V 110Amp CW, 6 GV-Solid Pulley A2TJ0391 Lester: 11168	66-82106  Contact - B+ & Motor (Denso OSGR) 8mm Hole Ref: 66-82756	55-1007  Shift Lever - Delco 30MT, 35MT Ref: 1942245, 55-107	19695N  Starter - Hitachi PMGR 12V, 1.4kw, 10T, CW Lester 19695, Chevy SB/BB 262-454
11231N  Mitsubishi - New Style 12V 115Amp CW, 6 GV-Clutch Pulley A2TJ0481 Lester: 11231	66-82112H  Contact - Battery (Denso OSGR) 8mm Hole Ref: 66-82761	55-1010  Shift Lever - Delco 41MT, 42MT Ref: 1988097, 55-110	18490N  Starter - Hitachi OSGR 12V, 2.0kw, 9T, CW Lester 18490, Thermo King
11290N  Denso - Hair Pin 12V 200Amp CW, 8 GV-Solid Pulley 104210-610, Lester: 11290	66-82114H  Contact - Battery (Denso OSGR) 8mm Hole Ref: 66-82759	55-1017  Shift Lever - Delco PMGR PG260 Ref: 10476604, 55-117 Plastic	17982N-OE  Starter - Hitachi PMGR (OE) 12V, 1.0kw, 10T, CW Lester 17982, Nissan Van
11434N  Denso - Hair Pin 12V 195Amp CW, 6 GV-Clutch Pulley 104210-6181, Lester: 11434	66-82512  Contact - Battery (Denso OSGR) 10mm Hole Ref: 66-82770	55-94001  Shift Lever - Valeo PMGR Ref: 1206734, 1250865, 599045, 55-9405 Plastic	19638N  Starter - Hitachi OSGR 12V, 2.2kw, 9T, CW Lester 19638, Thermo King

\* Due to the copper, steel and many of the raw material price increased, price may vary for back order, Metro has the rights to change the price without prior notice.

\* Manufacturers and supplier's names and their part numbers are for information purposes only.

\*\* All sweep sale items are sale to last, no back order accepted.

Harness Wire	Clutch Pulley	Rectifier - Denso	SRE Cover - Denso
<p>18-35003</p>  <p>Harness 2 Terminal, Female, 140mm wire length Ref</p>	<p>24CP-81001-1</p>  <p>Clutch Pulley - Hitachi (6 GV) 17mm Bore x56.4mm OD x 21mm W Ref 24-81107, 7904-4013</p>	<p>31-82001PAL</p>  <p>Rectifier - Denso 100mm OD, M6 x 1.0 x 43mm Ref INR720PAL</p>	<p>46-82279</p>  <p>Denso Hair Pin - GM 138.5mm Denso 104211-0671</p>
<p>18-35004</p>  <p>Harness 4 Terminal, Female, 150mm wire length Ref 110-12074, 110-12095, C-1870</p>	<p>24CP-82051</p>  <p>Clutch Pulley - Denso (6 GV) 17mm Bore x 60.8mm OD Ref 24-82231, Lester 14009</p>	<p>31-82010PAL</p>  <p>Rectifier - Denso 113mm OD, M6 x 1.0 x 25mm Ref INR734PAL</p>	<p>46-82284</p>  <p>Denso Hair Pin - Hyundai, Kia 128.5mm Lester 11953</p>
<p>18-35005</p>  <p>Harness 3 Terminal, Female, 150mm wire length, Male use 18-35016, Ref 110-52015, 46-82810</p>	<p>24CP-82052</p>  <p>Clutch Pulley - Denso (6 GV) 17mm Bore x 65mm OD Ref 24-82232, Lester 11507, 11647</p>	<p>31-82012PAL</p>  <p>Rectifier - Denso 103mm OD, M6 x 1.0 x 43mm Ref INR402P</p>	<p>46-82285</p>  <p>Denso Hair Pin - GM 128.5mm Lester 11499, 11507</p>
<p>18-35008</p>  <p>Harness 2 Terminal, Male, 165mm wire length, Male use 18-35008A, Ref 110-52007</p>	<p>24CP-83020</p>  <p>Clutch Pulley - Mitsubishi (6 GV) 17mm ID x 55mm OD Ref 24-91109, Lester 11235, 11239</p>	<p>31-82014PAL</p>  <p>Rectifier - Denso 113mm OD, M8 x 1.25 x 48mm Ref INR733PAL</p>	<p>46-82288</p>  <p>Denso Hair Pin - Land Rover 138.5mm Lester 21032, ND 104210-648</p>
<p>18-35010</p>  <p>Harness 2 Terminal, Female, 160mm wire length, Ref 110-52021</p>	<p>24CP-91034</p>  <p>Clutch Pulley - Bosch (8 GV) 17mm ID x 58mm OD x 28mm Belt Ref 24-91109, Lester 11235, 11239</p>	<p>31-82017PAL</p>  <p>Rectifier - Denso 103mm OD, M8 x 1.25 x 48mm Ref INR735PAL</p>	<p>46-82289</p>  <p>Denso Hair Pin - Audi, VW ND 104211-8690,</p>
<p>18-35011</p>  <p>Harness 2 Terminal, Female, 150mm wire length, Ref 110-12073</p>	<p>24CP-94022</p>  <p>Clutch Pulley - Valeo (4 GV) 17mm Bore x 64mm OD Ref F-587936, Lester 21076</p>	<p>31-82039PAL</p>  <p>Rectifier - Denso 113mm OD, M6 x 1.0 x 43mm Ref INR735PAL</p>	<p>46-82290</p>  <p>Denso Hair Pin - Toyota 128.5mm Lester 21247, ND 104211-376</p>

\* Due to the copper, steel and many of the raw material price increased, price may vary for back order, Metro has the rights to change the price without prior notice.

\* Manufacturers and supplier's names and their part numbers are for information purposes only.

\*\* All sweep sale items are sale to last, no back order accepted.

<i>Drive</i>	<i>Drive Parts</i>	<i>Brush Holder Assy.</i>	<i>Switch Terminal</i>
54-81106  Hitachi OSGR 8T, CW, 28mm Gear OD, 87mm L 16694, 16803, 16982, Ref 54-8132	54-82001  Spring - Shaft, Clutch (ND OSGR) 16.2mm OD x 61mm L, 1.2mm Dia 17197 etc, Ref 54-82603	69-1011  Brush Holder Assy. Delco 37MT, 41MT Ref 10468891, 10468892, 10470208	76-82131  Denso OSGR 13.8mm thread Length, 35mm OAL, 11mm Neck OD, Ref 76-82570
54-82701-1  Denso OSGR 9T, CW, 23.8mm Gear OD, 83mm L 16831, 17256, 17748 etc, Ref 54-8235	54-82002  Spring - Clutch, Drive (ND OSGR) 6.3mm x 12mm x 14.5mm L, 0.7mm Wire Dia, Ref 54-82602	69-82107H-1  Brush Holder Assy. Denso OSGR, 1.4kw, CW, silver body Lester 17197, 17259, 16831... etc.	76-82514-1  Denso OSGR 11.3mm Neck OD, Ref W485-150
54-82728  Denso OSGR 9T, CCW, 29mm Gear OD, 102mm L 16696, 16731, 17169 etc, Denso 028300-3990	76-82109  Retainer Ring-Drive (ND OSGR) 11.5mm ID x 14.7mm OD x 1.6mm Dia. ND 949072-1000, 949072-1080, 949072- 1440 Ref: 76-82806	69-82122  Brush Holder Assy. Denso OSGR, 2.0kw, CW, silver body Lester 17535, 17581, 18557 ... etc.	76-82515  Denso OSGR Ref 76-82580, ND# 053480-7901, Lester 17892, 18500 etc
54-85504  Mitsuba PMGR 9T, CW, 29.6mm OD x 103.4mm L Lester 10914 Ref	76-82110  Stop Collar-Drive (ND OSGR) 12.9mm ID x 17.8mm OD x 4.6mm Height Groove ID 14.7mm, Ref 76-82807	69-85108  Brush Holder Assy. Mitsuba PMGR, CW 10914, 10915, 19159 ... etc	76-82519  Denso OSGR 11.2mm Neck, M5 x 0.8 Ref 76-82596, ND# 053480-7990
54-85505  Mitsuba PMGR 9T, CW, 29.6mm OD x 101.3mm L Lester 19159, 19264 Ref	76-82111  Spring - Pinion Gear (ND OSGR) 11mm L x 16.5mm OD x 1.5mm Wire Dia. Ref 54-82604	69-82131  Brush Holder Assy. Denso PLGR, 2.0kw, CW 19044, 19045, 19174, 19209, 19217 etc	76-82520  Denso OSGR 11.2mm Neck, M5 x 0.8 Ref 76-82584 ND# 053480-7990
54-85506  Mitsuba PMGR 9T, Straight Gear, 34mm OD x 107.4mm L Lester 19252 Ref	76-82112  Gear Plate - Pinion Gear (ND OSGR) 16.30mm OD x 1.50mm T Ref 54-82800	69-82502-1  Brush Holder Assy. Denso OSGR, 2.5kw/4.5kw, CW, Heavy Duty 16614, 16658, 16990, 17458, 18402 ... etc	76-82533  Denso OSGR M6 x 1.0 x 13mm Thread Length Lester 19965, 19966, ND# 053480-8440

\* Due to the copper, steel and many of the raw material price increased, price may vary for back order, Metro has the rights to change the price without prior notice.

\* Manufacturers and supplier's names and their part numbers are for information purposes only.

\*\* All sweep sale items are sale to last, no back order accepted.